

TECHNICAL SHEET

2504-20 MINI

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 170 lm

Cable RAL 9005



2504-22 MICRO

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal


Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 170 lm

Cable RAL 7013



Rosoni / Canopies

1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60 Hz

Lighting Control: On-off / Dimmable 0-10V / DALI / Phase cut



1704-91 CANOPY TYPE B RECESSED

Mounting: incasso / recessed

Environment: Indoor - IP20


Materials: Metallo / Metal

Voltage: 24Vdc



NOTE:

Remote driver not included



Finiture / Finishes

Vetri / Glasses



Argento Specchiato
Mirroring silver



Oro specchiato
Mirroring gold



Nero specchiato
Mirroring black

Struttura / Structure



Nero opaco
Matt black

Rosoni / Canopies



Metallo verniciato nero opaco
Matt black varnished metal



Metallo verniciato oro opaco
Matt gold varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosone singoli, con le piastre multiple o con il rosone barra.

Vale altresì il viceversa: rosone, piastre multiple e rosone barra non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra. Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES MISURA / SIZE STRUTTURA / STRUCTURE DIFFUSORE / SHADE DETTAGLI / DETAILS

2504-20-1113-N2NE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 3000K
2504-20-1113-N2WE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 2700K
2504-20-1113-N4NE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 3000K
2504-20-1113-N4WE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 2700K
2504-20-1116-N2NE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 3000K
2504-20-1116-N2WE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 2700K
2504-20-1116-N4NE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 3000K
2504-20-1116-N4WE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 2700K
2504-20-1115-N2NE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 3000K
2504-20-1115-N2WE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 2700K
2504-20-1115-N4NE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 3000K
2504-20-1115-N4WE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 2700K
2504-22-1113-N2NE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 3000K
2504-22-1113-N2WE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 2700K
2504-22-1113-N4NE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 3000K
2504-22-1113-N4WE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 2700K
2504-22-1116-N2NE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 3000K
2504-22-1116-N2WE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 2700K
2504-22-1116-N4NE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 3000K
2504-22-1116-N4WE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 2700K
2504-22-1115-N2NE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 3000K
2504-22-1115-N2WE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 2700K
2504-22-1115-N4NE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 3000K
2504-22-1115-N4WE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 2700K

Misty

Bartoli Design with Andrea Citterio 2025

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimmmable 0-10V
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimmmable 0-10V
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimmmable 0-10V
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimmmable DALI
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimmmable DALI
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimmmable DALI
1704-90-0600-TXLE	canopy type B	oro opaco / matt gold		dimmmable phase cut
1704-90-0100-TXLE	canopy type B	bianco opaco / matt white		dimmmable phase cut
1704-90-1100-TXLE	canopy type B	nero opaco / matt black		dimmmable phase cut
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		