
The power of bold and basic geometry













SUPERLOOP SHC MOL



Everyone loves straight lines.
Their minimalism, clean nature, simplicity and logic. But at some times straight lines are too formal and predictable.
During these times the simple curvy geometric shape of the Superloop enables you to add an element of surprise. It can lend your project a more specific identity, or play its role in a larger concept of strong geometries.

The new Superloop family is an extensive range of slim circular and square shapes, offering a multitude of illumination options.

The collection exists out of perfect circles of light, while also introducing circular and squared low voltage solutions for track lighting, so general and accent lighting can be combined within one family.



						NEW	NEW	NEW	NEW	NEW	NEW	
		SUPERLOOP SBL										
		Ø700mm	Ø900mm	Ø1200mm	Ø1700mm	Ø2000mm	Ø2500mm	Ø3000mm	Ø3500mm	Ø4000mm	Ø5000mm	
		2786 - 3510lm	3845 - 4570lm	4951 - 6027lm	6721 - 8544lm	13230lm	16380lm	19530lm	22680lm	26460lm	33075lm	
HC	{	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	V	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓ <b></b>	<b>✓</b>	
HC PLUS		<b>✓</b>	<b>✓</b>	<b>✓</b>								
VC		<b>✓</b>	<b>✓</b>	<b>✓</b>								
VR		<b>✓</b>	V	<b>✓</b>								

		SUPERLOOP MDL									
		Ø700mm	Ø900mm	Ø1200mm	Ø1700mm	Ø2000mm	Ø2500mm	Ø3000mm	Ø3500mm	Ø4000mm	Ø5000mm
HC	1	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
HC PLUS	0	V	✓	<b>✓</b>							

	SUPERLOOP MDL										
			600 x 600mm	900 x 900mm	250 x 1100mm	250 x 1700mm					
H	HC S	4.17	<b>✓</b>	<b>√</b>	<b>✓</b>	V					

MODULES FOR SUPERLOOP MDL

ACCENT LIGHTING									
SPY 52	SPY FOCUS	SPY 66	VIZIR	HEDRA					
-	0	-	-	-					





### SuperLoop HC/VC


Superloop with circular light has the ability to diffuse light all around. It represents a universal symbol with extensive options. Integrated powerleds on the inside of the ring are hidden behind a layer of polycarbonate, guaranteeing a uniform and perfectly balanced light output and resulting in a perfect loop of light. These Superloops can be arranged in horizontal, angled or even vertical positions





Both the horizontally and vertically mounted versions offer a choice between power supply box (220V) or separate 48V power supply.

additional spot modules that can be fixed onto the Superloop MDL.



the special semi prismatic cover.
























## SupERLOOP VR For a more bold and expressive application you can opt for the Superloop VR, mounting the circle of light with a steel rod. Sculptural in presence, resonating with symbolism and respecting pure minimalism, the Superloop VR offers a very airy and remarkable element to your interior concept. Either as a single version or in a sequence to create striking vertical effects.









### Superloop HC MOL

Superloop HC MDL is available in a round or square shape with Delta Light custom engineered 48V low voltage conductors on the inside. This allows you to position and move light modules all around, offering maximum flexibility and allowing you to meet any need of the project. The Superloop HC MDL has a universal added value thanks to its contemporary appearance and diversity of applications.

The HC MDL version features a revolutionary plug and play system, offering you the flexibility of track lighting in combination with a simple curvy geometric shape, resulting in an extraordinary fusion of light and space.

Different plug&play spot modules are available, be it as adjustable accent lighting (Spy, Vizir, Hedra) or as fixed modules with down or down-up lighting to create a modern chandellier.

Next to the Black Bronze & Gold Coloured finish of the Vizir & Hedra spots, the spy modules and Superloop HC MDL can be finished in Flemish Gold of Flemish Bronze. Perfect to finish the project to your specific needs.

The 48V Spy Modules on the Superloop MDL can be dimmed with the new 48V dimmable modulators.



SUPERLOOP S HC MDL + FIX DOWN B & SPY GC







SUPERLOOP HC MDL FG + XY180





SUPERLOOP HC MDL + SPY B






SUPERLOOP HC MDL + SPY FBR



SUPERLOOP HC MDL + FIX DOWN-UP + GLASS







SUPERLOOP MODNIEJ.



**SUPERLOOP-SPY 52 MDL** 8,5W / 1089lm / 20°-45°





**SUPERLOOP-SPY 66 MDL** 17,1W / 2125lm / 18°-30°-46°



SUPERLOOP-SPY FOCUS LP MDL 9W / 1076lm / 8-43°



**SUPERLOOP-SPY FOCUS MP MDL** 17,1W / 2125lm / 12-45°




**SUPERLOOP-VIZIR MDL** 6W / 570lm / 15° 7,1W / 805lm / 33°



**SUPERLOOP-HEDRA MDL** 6W / 570lm / 15° 7,1W / 805lm / 33°




**SUPERLOOP-FIX 40 MDL** 4,1W / 425lm / 20°




SUPERLOOP-FIX 40 DOWN-UP MDL 2,1W / 227lm / 20° (UP) 4,1W / 425lm / 20° (DOWN)



SUPERLOOP-FIX 40 DOWN-UP GT MDL 2,1W / 227Im / 20° (UP) 4,1W / 425Im / 20° (DOWN)




**SUPERLOOP-FIX 45 MDL** 8,1W / 877lm / 40°




**SUPERLOOP XY180** 8,9W / 1050lm

70 16 29 560 Ø30



The 48V Superloop comes in different kind of shapes and dimensions, perfect to fit any type of project. Square versions in 600mm by 600mm or 900mm by 900mm, rectangular versions in 1100mm or 1700mm by 250mm or – similar to the SBL version – circular Superloops with diameters from 700mm up to 1700mm, all of them seamlessly welded together to avoid any visual joints.





Although invisible to the eye, the carbon 2-wire conductor in the curved and rectangular Superloops create a closed 48V circuit, allowing immediate functionality to all Spy modules that are being locked into the profile.

Moreover, the two conductors not only suffice for 48V power but Superloop MDL can also be dimmed with Smart 48. It collects the power from the 48V power supply and combines it with a DALI, 1-10V or Touch Dim input to send to the dimmable 48V converter in the luminaire. In this way dimming can be done by only using 2 wires for both power and dimming - or it can even be done wireless when choosing for the Wireless Dimmable Modulator, based on CTRL DELTA.



With CTRL Delta, Delta Light offers user-friendly solutions for an easy wireless control of the Spy modules on the Superloop. The dimmable LED converter is embedded in the head itself and is responsible for translating the incoming 48V into a current controlled signal for the LED module. By combining CTRL Delta with Smart 48, also dimming of the 48V set-up is possible.





The combination of Superloop-Spy SOFT with a dimmable modulator allows for a unique 48V Soft DIM solution. The colour temperature of the LED is getting warmer while dimming down, resulting in a cosy set-up.














# Superloop SHC MOL

Looking for maximum flexibilty and prefer linear elements in your project design? If yes, the Superloop S H will meet your needs, both graphically and functional. Available in a square and rectangular shape, they can stand out on their own, in a parallel configuration or more eye-catching compositions.









ADOMO / PHOTOGRAPHY GAVRIIL PAPADIOTIS WWW.GAVRIILUX.COM
















#### CTRL DELTA WIRELESS CONTROL

An advanced lighting control solution based on the Bluetooth low energy standard. BLE is a state-of-the-art wireless technology. It is the only low power wireless technology available in all modern smartphones, tablets and smartwatches. This makes it the only mainstream powerradiotechnology in the world. It is future proof and it is available now to control your lights.

For more information and technical info please go to **www.deltalight.com/CTRLDELTA** 



#### **SMART 48** TECHNOLOGY

New in Lighting Bible 12 is the possibility to dim 48V luminaires or profiles, thanks to Smart 48. It collects the power from the 48V power supply and combines it with a DALI, 1-10V or Touch Dim input and sends it to the 48V converter in the luminaire. With the Dimmable Modulator 48V-DC DIM9, dimming can be done by only using 2 wires for both power and dimming. Or dimming can be done wireless, by choosing for the Wireless Dimmable Modulator 48V-DC.

PATENT PENDING

