

no limits

sedus



Sedus no limits

Limitless communication, multifunctional configuration and optimal utilisation of available space are provided by the extensive range of Sedus no limits models – as a symbiosis of aesthetics and functionality. For workshops, training sessions, meetings, presentations, conferences, group work or discussion circles. The high degree of mobility creates the perfect working atmosphere in seconds.

The centrepiece of the range is the personal desk. It is mobile, optionally height-adjustable, tiltable and linkable. It can also be parked to save space, while the large table tops guarantee an optimal workplace for either standing or sitting.

no limits meeting tables come with table tops in a variety of shapes so that individual “table landscapes” can be created. Rectangular tables can also be linked with personal desks. They are available on castors and with an ingenious folding mechanism which is extremely quick and easy to operate.

Designed by: Prof. Wulf Schneider and Partners

Meeting table



Notice board



Server



Flipchart



Lectern



Personal desk



Coat rack



Partition



Chair range



Personal desks

Central column with aluminium base, tubular steel front legs, mobile, linkable, parkable; desk top tilted at 45° in parked position



Desktop sizes 700 x 550 mm or 800 x 620 mm, height 730 mm



Optionally height-adjustable, 730 to 1115 mm, desktop tiltable up to an angle of 8°

Meeting table

Cross-rail 4-leg frame made of steel, optionally linkable with individual tops or personal desks. Also available with two or four castors and parkable with folding top.




Height 730 mm




Desktop vertical when parked

Configuration examples



Meeting tables



Top dimensions (in mm)

1400 x 700
1400 x 800
1600 x 800

700 x 700
800 x 800
900 x 900

1400 x 700
1600 x 800

Height

730

730

730

Interconnecting tops with end linking



Top dimensions (in mm)

1400 x 700
1400 x 800
1600 x 800

1400 x 700
1600 x 800

Sectors




For top depth
700 or 800 mm
Angle

45°


60°

90°


120°



Meeting tables
(top view)



Meeting tables
(side view)



Personal desks
(side view)

**Parked dimensions
(in mm)**





Server

as a presentation, catering or media server, individually configurable with writing tablets, drawers or open shelves; four lockable castors.

The upper surface is a desktop, width 620, depth 495 mm (optional width 800, depth 495 mm).



Writing tablet

Width 545, depth 410 mm



Drawer

Outside dimensions: height 110, width 545, depth 410 mm, Inside dimensions: height 60, width 470, depth 340 mm



Open shelf




Outside dimensions: height 110, width 545, depth 410 mm, Inside dimensions: height 90, width 505, depth 390 mm



Lectern

In a choice of real wood veneer or laminate, mobile, desktop with paper rail, cable routing for reading lamp and microphone.

Height 1205, width 620, depth 530 mm



**Notice boards
Partition
Coat rack**



Notice board, aluminium frame and feet, pinnable on both sides, textile finish, height 1900, width 1200, depth 300 mm



Notice board, aluminium column, chromed steel frame, mobile, with pinnable, textile finish, with linking elements, height 1900, width 1150, depth 560 mm



Partition, aluminium column, chromed steel frame, mobile, with black membrane covering, with linking elements, height 1900, width 1150, depth 560 mm



Coat rack, aluminium column, chromed steel frame, mobile, with linking elements, optionally with hat rack, height 1900, width 1150, depth 560 mm


Screen systems



Screen, aluminium column, chromed steel frame, mobile, optionally with whiteboard or projection surface, height 1900, width 1500, depth 560 mm



Screens can be linked together at any angle and with no gap.



Notice board/Partition/Screen in parked position (top view), parked dimensions (in mm)

Flipcharts



Flipchart, single paper holder and pen tray. Dimensions when set up: height 2020, width 780, depth 610 mm. Dimensions when folded up: height 2060, width 785, depth 100 mm



Flipchart, double paper holder and pen tray. Dimensions when set up: height 2020, width 1400, depth 610 mm. Dimensions when folded up: height 2060, width 1400, depth 100 mm



Single paper holder for screens and notice boards.

Meeting chair WS 10
4-leg model with steel frame, one-piece shell



Armrests with wood finish, perforated shell

Upholstered shell

Armrests with wood finish, upholstered shell

Meeting chair WS 20
4-leg model with steel frame, one-piece shell



Perforated shell

Upholstered shell

Armrests with wood finish, upholstered shell

Meeting chair WS 30
4-leg model with steel frame, armrests with wood finish



Upholstered seat

Upholstered seat and backrest

Meeting chair WS 40
Cantilever chair with steel frame, armrests with wood finish



Upholstered seat

Upholstered seat, perforated backrest

Upholstered seat and backrest

Meeting chair WS 50
Cantilever chair with steel frame, armrests with wood finish, one-piece shell



Perforated shell

Upholstered shell





	Sedus no limits WS	10	20	30	40	50
Model variations						
4-leg		■	■	■		
Cantilever					■	■
One-piece shell						
Shell with beech veneer		■	■			■
Shell with ash veneer		□	□			□
Shell with maple veneer		□	□			□
Separate seat and backrest						
Seat/backrest with beech veneer				■	■	
Seat/backrest with ash veneer				□	□	
Seat/backrest with maple veneer				□	□	
Frame designs/armrests						
Steel frame without armrests		□	□			
Steel frame with armrests (wood finish)		□	□	□	□	□
Frame colours						
White aluminium, powder-coated		■	■	■	■	■
Black, powder-coated		□	□	□	□	□
Chromed		□	□	□	□	□
Additional features						
Writing tablet		□	□	□	□	□
Perforated seat		□	□			□
Perforated backrest				□	□	
Contrasting shade for upholstery				□	□	
Stackable		■	■	■	■	■
Row linkage		□	□	□		
Front legs with castors			□			
Felt glides/plastic glides		□	□	□	□	□






no limits chairs, optionally with writing-tablet and on castors. Seat and row numbering, linkable.



■ Standard
□ Optional



Flexible linkage spacing from 100 to 150 mm



Dimensions (in mm)

Export

Sedus Stoll AG
Brueckenstrasse 15
D-79761 Waldshut
Tel. +49 (7751) 84-289
Fax +49 (7751) 84-330
E-mail export@sedus.com
Internet www.sedus.com

Austria

Sedus Stoll Ges.m.b.H.
Kirchenstrasse 37/1/13
A-5301 Eugendorf
Tel. +43 (6225) 21054-0
Fax +43 (6225) 21056
E-mail sedus.at@sedus.at
Internet www.sedus.at

Belgium

Sedus Stoll b.v.b.a./s.p.r.l.
Korte Masmensesteenweg 58/7
B-9230 Wetteren
Tel. +32 9 369 96 14
Fax +32 9 368 19 82
E-mail sedus.be@sedus.com
Internet www.sedus.be

France

Sedus
2, rue de la Baume
F-75008 Paris
Tel. +33 153 77 20 50
Fax +33 153 77 20 51
E-mail commercial@sedus.fr
Internet www.sedus.fr

Great Britain

Sedus Stoll Ltd.
157A St John Street, Clerkenwell
London EC1V 4DU
Tel. +44 20 7566 3990
Fax +44 20 7566 3999
E-mail sedus.uk@sedus.co.uk
Internet www.sedus.co.uk

Italy

Sedus Stoll S.r.l.
Via Giotto, 20/22
I-22075 Lurate Caccivio (CO)
Tel. +39 031.494.111
Fax +39 031.494.140
E-mail sedus.it@sedus.com
Internet www.sedus.it

Netherlands

Sedus Stoll B.V.
Rhijnspoor 239
NL-2901 LB Capelle aan den IJssel
Tel. +31 10 521 41 88
Fax +31 10 521 31 89
E-mail sedus.nl@sedus.com
Internet www.sedus.nl

Spain

Sedus Stoll, S. A.
Avda. de Manoteras, 28-1ª planta
E-28050 Madrid
Tel. +34 91/597 01 76
Fax +34 91/597 22 65
E-mail sedus.es@sedus.com
Internet www.sedus.es

Switzerland

Sedus Stoll AG
Industriestrasse West 24
CH-4613 Rickenbach
Tel. +41 62/216 41 14
Fax +41 62/216 38 28
E-mail sedus.ch@sedus.ch
Internet www.sedus.ch