
LASVIT Technical Sheet DROPLETS SCULPTURE

DESIGNER: Jan Plechac and Henry Wielgus YEAR OF DESIGN: 2015

Inspired by nature, emotion and a unique frozen moment, this lighting sculpture reminds us of our fascination with water. It captures the perfection of the natural movement when water collects into a drop. The entire composition, as well as the individual elements and their shapes play with the magic of water, air and gravity. The harmonious density gradient highlights this instant, providing sensations of depth and motion.



PACKAGING

Droplets 1 000 mm

Total weight: 90 kg Pallet 1250 × 1250 × 750 mm **Droplets 1 500 mm** Total weight: 150 kg Pallet 1650 × 1650 × 750 mm

LASVIT Technical Sheet

DROPLETS SCULPTURE

TECHNICAL DETAILS D. 1000 mm

| Туре | CEUL | | | |
|--------------|---|---|--|--|
| Light source | 4 × LED GU10 Soraa 4000K 2700K (gold version) 7,5W, 25° | 4 × LED GU10 Soraa 4000K 2700K (gold version) 7,5W, 25° | | |
| nput voltage | 230VAC | 110VAC | | |
| Rated power | 30W | 30W | | |
| Dimming | trailing edge | | | |
| Metal finish | super polished steinless steel by silver and gold version | | | |
| Prot. rating | IP 20 | | | |
| Safety class | CLASS I | | | |

LASVIT Technical Sheet


DROPLETS SCULPTURE

TECHNICAL DETAILS D. 1500 mm

| Туре | CE | UL | |
|---------------|---|---|--|
| Light source | 4 × LED GU10 Soraa 4000K 2700K (gold version) 7,5W, 25° | 4 × LED GU10 Soraa 4000k 2700K (gold version) 7,5W, 25° | |
| Input voltage | 230VAC | 110VAC | |
| Rated power | 6oW | 6oW | |
| Dimming | trailing edge | | |
| Metal finish | super polished steinless steel by silver and gold version | | |
| Prot. rating | IP 20 | | |
| Safety class | CLASS I | | |

LASVIT Technical Sheet DROPLETS SCULPTURE

TECHNICAL DRAWING



| Name | Dia (mm/inch) | H / +L (mm/inch) | Z (mm/inch) | V (mm/inch) |
|----------------|---------------|---|---------------|-------------|
| Droplets 1 000 | 1000/39¾" | H 1620/63¾" × OH 1940/76¾" | 1100/435⁄ 16" | 119/411⁄16" |
| Droplets 1 500 | 1500/597⁄16" | H 2740/107 ^{7/} 8" × OH 4570/179 ^{15/} 16" | 1600/63" | 119/411⁄16" |

LASVIT Technical Sheet

| Name | Glass color | ltem ID – CE | ltem ID – UL | Weight (approx.) |
|-----------------------------------|-----------------------------|--------------------------|--------------------------|------------------|
| Droplets 1000 mm on ceiling | silver / clear with soda | CL022SA- 1CE00-2403S1 | CL022SA- 1UL00-2403S1 | 80kg/176lb |
| Droplets 1000 mm on ceiling | gold / clear with soda | CL022SA- 1CE00-2303S1 | CL022SA- 1UL00-2303S1 | 80kg/176lb |
| Droplets 1000 mm recessed | silver / clear with soda | CL022SC- 1CE00-2403S1 | CL022SC- 1UL00-2403S1 | 80kg/176lb |
| Droplets 1000 mm recessed | gold / clear with soda | CL022SC- 1CE00-2303S1 | CL022SC- 1UL00-2303S1 | 80kg/176lb |
| Droplets 1500 mm on ceiling | silver / clear with soda | CL022SB- 1CE00-2403S1 | CL022SB- 1UL00-2403S1 | 150kg/330lb |
| Droplets 1500 mm on ceiling | gold / clear with soda | CL022SB- 1CE00-2303S1 | CL022SB- 1UL00-2303S1 | 150kg/330lb |
| Droplets 1500 mm recessed | silver / clear with soda | CL022SD- 1CE00-2403S1 | CL022SD- 1UL00-2403S1 | 150kg/330lb |
| Droplets 1500mm recessed | gold / clear with soda | CL022SD- 1CE00-2303S1 | CL022SD- 1UL00-2303S1 | 150kg/330lb |

EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED. TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE