




Bathtub with waste and overflow connection AVAS0967_

Benedini Associati, 2013

Freestanding bathtub in Cristalplant® biobased perfect for small rooms.



Finishes



White/dark grey



White/light grey



White



Brushed burnished



Brushed



Chrome





Cristalplant® biobased



Brass




Classical bathtub made from Cristalplant® biobased, available in white or two colourd (exterior in dark grey RAL7021 or light grey RAL7044) outside, with feet of the same material. Supplied with external waste and external overflow connection .MET1516 (available or chrome or brushed chrome or brushed burnished finish) also suitable for bathtubs in display; without tap holes. Taps can be wall or floor mounted. The two-coloured model can be made in a colour chosen by the client with a surcharge of 15%.


Height:	58 cm	22" 53/64 inches		
Length:	154 cm	60" 5/8 inches		
Weight:	50 kg	110 lbs		
Depth:	77.5 cm	30" 33/64 inches		
Capacity:	200	53 gal		
Packaging:	92 x 168 x 70 cm	36" 1/2 x 105" 1/2 x 27" 1/2		
Total weight:	94 kg	inches 207 lbs		






Main dimensions













Dimensions for wall mounted taps






		A*	B**
FEZ	(ARUB050000L, ARUB051000L, ARUB150000C,	700 (27*1/2)	-
	ARUB151000C, ARUB1089S, ARUB190000C,		
	ARUB191000C, ARUB1091S)		
MEMORY	(ARUB1076S, ARUB1077S, ARUB1040S)	700 (27*1/2)	-
SQUARE	(ARUB0932N, ARUB0933N, ARUB1118)	-	700 (27*1/2)
SEN	(ASEN0912V)	-	700 (27"1/2)


inserasse gruppo / exial distance for tap filo inferiore gruppo / Tap's lower edge





Dimensions for freestanding spouts







		Α	В	С	D
FEZ	(ARUB140, RAUB145, ARUB170N)	80 (3"1/8)	165 (6"1/2)	575 (22"41/64)	955 (37"5/8)
MEMORY	(ARUB1078, ARUB1072, ARUB1033)	80 (3"1/8)	165 (6"1/2	575 (22"41/64)	955 (37"5/8)
SQUARE	(ARUB0961L, ARUB0934L,	80 (3"1/8)	165 (6"1/2)	575 (22"41/64)	955 (37"5/8)
	ARUB0935NL, ARUB0936NL,				
	ARUB0952L, ARUB1024N,				
	ARUB1112, ARUB1115)				
SEN	(ASEN0911)	80 (3"1/8)	125 (4"59/64)	520 (20"15/32)	900 (35"7/16)





Dimensions for tap support










Note



La vasca deve essere installata su un pavimento perfettamente piano. The bathtub must be positioned on a flat floor surface.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca. Avoid the installation of floor heating plants in the area under the bathtub.





Dimensions for waste

