

MATRIX

Wall and ceiling lamp with diffuser in triplex opal blown glass and base in white epoxy-coated metal. Mounts to standard 4" octagonal junction box.



SMALL INCANDESCENT

LAMPING

Source	E26 BULB
Total power	1 X 75W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	7.7" x 7.7" x 4.1"
Materials	glass + metal

Codes

M3865	Structure/Diffuser
	White/Opal White Glass

PACKAGE

Package 01	Dimension: 13" x 13" x 9" inches / Net weight: 5 lbs
------------	--

Certificazioni



| 4.1 |



| 7.7 |




| 4.2 |



| 8.5 |



| 4.4 |



| 11 |

MEDIUM LED

LAMPING


Source	15W
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	8.5" x 8.5" x 4.2"
Materials	glass + metal

<i>Codes</i>	<i>Structure/Diffuser</i>
M3873LED	White/Opal White Glass

PACKAGE

Package 01	Dimension: 16" x 16" x 8" inches / Net weight: 5 lbs
------------	--

Certificazioni



SMALL LED

LAMPING

Source	15W
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	7.7" x 7.7" x 4.1"
Materials	glass + metal

Codes

M3865LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01	Dimension: 13" x 13" x 9" inches / Net weight: 6 lbs
------------	--

Certificazioni



MEDIUM INCANDESCENT

LAMPING

Source	E26 BULB
Total power	2 X 40W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	8.5" x 8.5" x 4.2"
Materials	glass + metal
Codes	Structure/Diffuser
M3873	White/Opal White Glass

PACKAGE

Package 01	Dimension: 16" x 16" x 8" inches / Net weight: 5 lbs
------------	--

Certificazioni

