

## TECHNICAL SHEET

### 2304-20

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 169 lm

Cable RAL 9005 ( Ø 2.8mm)



### Rosoni / Canopies

#### 1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60 Hz

Lighting Control: on-off / Dimmable 0-10V / DALI / Phase cut



#### 1704-91 CANOPY TYPE B RECESSED

Mounting: incasso / recessed

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 24Vdc



#### NOTE:

Remote driver not included



#### BAR CANOPY TYPE X - 3 FIX/ 5 FIX

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240 50/60 Hz


Lighting Control: Dimmable 0-10V / Push



lampade installabili su pistre type B /  
lamps installable on plates type B

2304-20+1704-90

Ø11.3 x H3.5



H 210 max

Ø3.4 - H42

## Finiture / Finishes

---

### Struttura / Structure



Nero opaco  
Matt black



Oro opaco  
Matt gold



Bronzo opaco  
Matt bronze

### Rosoni / Canopies

#### Soffitto / Ceiling



Metallo verniciato nero opaco  
Matt black varnished metal



Metallo verniciato oro opaco  
Matt gold varnished metal



Metallo verniciato bianco opaco  
Matt white varnished metal

#### Incasso / Recessed



Metallo verniciato bianco opaco  
Matt white varnished metal

### Barra / Bar

#### Struttura / Structure



Metallo verniciato bianco opaco  
Matt white varnished metal

### Copertura / Cover



Metallo verniciato nero opaco  
Matt black varnished metal



Metallo verniciato oro opaco  
Matt gold varnished metal



Metallo verniciato bianco opaco  
Matt white varnished metal



Metallo verniciato opaco titanio  
Matt titanium varnished metal



Metallo verniciato bronzo opaco  
Matt bronze varnished metal

### NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli o con le piastre multiple.

Vale altresì il viceversa: rosoni e piastre multiple non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone oppure pendente/i + piastra multipla. Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes or with the multiple plates.

The reverse is also true: rosettes and multiple plates cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette or pendant(s) + multiplate.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

## CODES

| CODICI / CODES    | MISURA / SIZE          | STRUTTURA / STRUCTURE      | DIFFUSORE / SHADE | DETTAGLI / DETAILS |
|-------------------|------------------------|----------------------------|-------------------|--------------------|
| 2304-20-0611-N4NE | suspension             | oro opaco / matt gold      |                   | cavo / wire 4 mt   |
| 2304-20-0611-N2NE | suspension             | oro opaco / matt gold      |                   | cavo / wire 2 mt   |
| 2304-20-0611-N4WE | suspension             | oro opaco / matt gold      |                   | cavo / wire 4 mt   |
| 2304-20-0611-N2WE | suspension             | oro opaco / matt gold      |                   | cavo / wire 2 mt   |
| 2304-20-1111-N4NE | suspension             | nero opaco / matt black    |                   | cavo / wire 4 mt   |
| 2304-20-1111-N2NE | suspension             | nero opaco / matt black    |                   | cavo / wire 2 mt   |
| 2304-20-1111-N4WE | suspension             | nero opaco / matt black    |                   | cavo / wire 4 mt   |
| 2304-20-1111-N2WE | suspension             | nero opaco / matt black    |                   | cavo / wire 2 mt   |
| 2304-20-1611-N4NE | suspension             | bronzo opaco / matt bronze |                   | cavo / wire 4 mt   |
| 2304-20-1611-N2NE | suspension             | bronzo opaco / matt bronze |                   | cavo / wire 2 mt   |
| 2304-20-1611-N4WE | suspension             | bronzo opaco / matt bronze |                   | cavo / wire 4 mt   |
| 2304-20-1611-N2WE | suspension             | bronzo opaco / matt bronze |                   | cavo / wire 2 mt   |
| 1704-90-0600-NXLE | canopy type B          | oro opaco / matt gold      |                   | on-off             |
| 1704-90-0600-DXLE | canopy type B          | oro opaco / matt gold      |                   | dimmable 0-10V     |
| 1704-90-0100-NXLE | canopy type B          | bianco opaco / matt white  |                   | on-off             |
| 1704-90-0100-DXLE | canopy type B          | bianco opaco / matt white  |                   | dimmable 0-10V     |
| 1704-90-1100-NXLE | canopy type B          | nero opaco / matt black    |                   | on-off             |
| 1704-90-1100-DXLE | canopy type B          | nero opaco / matt black    |                   | dimmable 0-10V     |
| 1704-90-0600-PXLE | canopy type B          | bianco opaco / matt white  |                   | dimmable DALI      |
| 1704-90-0100-PXLE | canopy type B          | bianco opaco / matt white  |                   | dimmable DALI      |
| 1704-90-1100-PXLE | canopy type B          | nero opaco / matt black    |                   | dimmable DALI      |
| 1704-90-0600-TXLE | canopy type B          | oro opaco / matt gold      |                   | dimmable phase cut |
| 1704-90-0100-TXLE | canopy type B          | bianco opaco / matt white  |                   | dimmable phase cut |
| 1704-90-1100-TXLE | canopy type B          | nero opaco / matt black    |                   | dimmable phase cut |
| 1704-91-0100-NXLE | canopy type B recessed | bianco opaco / matt white  |                   |                    |

Penta si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, modifiche e migliorie che potrebbero variare l'estetica delle soluzioni pensate.

Penta reserves the right to change, better and improve its models without notice, even if these improvements might change the aesthetic appearance of the proposed solutions.