

EN: Chair with upholstered shell version covered in fabric or leather and steel rod sled frame Ø 11 mm.

IT: Sedia con scocca imbottita rivestita in tessuto o pelle e struttura a slitta in tondino d'acciaio Ø 11 mm.

DE: Stuhl mit gepolsterter Sitzschale bezogen mit Stoff oder Leder und Schlitten-Struktur aus Stahlrohr Ø 11 mm.

FR: Chaise avec coque rembourrée, revêtu en tissu ou cuir et structure en tube d'acier Ø 11 mm.

ES: Silla con carcasa acolchada tapizada en tejido o piel y estructura de trineo de redondo de acero Ø 11 mm.

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

EN: Beech plywood shell padded with expanded, flexible polyurethane (density 60kg/m³), fire-retardant (class 1 IM, Crib 5), covered with fabric

IT: Scocca in multistrato di faggio imbottita con poliuretano espanso flessibile (densità 60 kg/m³), ignifugo (classe 1 IM, Crib 5), rivestita in tessuto

DE: Schale aus Buchen-Multiplex gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), feuerfest (Klasse 1 IM, Crib 5), mit Kernleder bezogen

FR: Coque en multiplis de hêtre rembourrée en polyuréthane expansé flexible (densité 60 kg/m³), ignifuge (classe 1 IM, Crib 5), recouverts de cuir naturel

ES: Carcasa de contrachapado de haya tapizado de espuma de poliuretano flexible (densidad 60 kg/m³), ignifugo (clase 1IM, Crib5), forrado de tela

• FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. A - C (Excluding / Escluso C36÷C39) - D40÷D44 - G - H - N - P

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• FRAME - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN

EN: Steel, rod Ø11 mm

IT: Acciaio, tondino Ø11 mm

DE: Stahl, rundes Rohrgestell Ø11 mm

FR: Acier, fil Ø11 mm

ES: Acero, patín Ø11 mm

FRAME FINISH - FINITURA TELAIO - AUSFÜHRUNG DES GESTELL - FINITIONS STRUCTURE - ACABADO ARMAZÓN


EN: Powder coating

IT: Verniciato con polvere

DE: Pulverbeschichtet

FR: Époxy à poudre

ES: Barnizado con polvo



EN: For full range of color available see finishing legend on the website

IT: Per tutta la gamma di colori disponibili vedere legenda finiture sul sito web

5724

DESIGN
CMP Design

EN: Chromed
IT: Cromato
DE: Verchromt
FR: Chromé
ES: Cromado



EN: Gold lacquered
IT: Laccato Oro
DE: Gold lackiert
FR: Laqué or
ES: Lacado en oro



EN: Antique brass
IT: Ottone anticato
DE: Messing Antik
FR: Laiton vieilli
ES: Latón antiguo



• FEET - PIEDINI - GLEITER - PATINS - TACOS

EN: Technopolymer, with anti-rotation pin, black or white
IT: Tecnopolimero, con perno antirotazione, bianco o nero
DE: Technopolymer, mit nicht drehbar Kern, schwarz oder weiß
FR: Technopolymère, avec pivot antirotation, blanc ou noir
ES: Tecnopolímero, con perno antirrotacional, blanco o negro

5724

DESIGN
CMP Design**REGULATIONS
AND CERTIFICATES**Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

- **RESISTANCE TEST - TEST DI RESISTENZA - TEST ZUR BELASTBARKEIT - TEST DE RÉSISTANCE - PRUEBA DE RESISTENCIA**

EN 1728:2012, 6.4 - EN 16139:2013, L2
 EN 1728:2012, 6.5 - EN 16139:2013, L2
 EN 1728:2012, 6.17 - EN 16139:2013, L2

- **ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL**

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	3,2	45,81	YES	33,2	100
Tecnopolymer Tecnopolimero	0,01	0,16	YES	40	100
Polyurethane foam Poliuretano espanso	0,9	12,97	NO	0	0
Plywood Multistrato	2,6	37,46	YES	0	100
Fabric Tessuto	0,25	3,61	NO	0	0
TOTAL TOTALE	6,94 Kg	--	--	15,3 %	83,4 %

- **COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA**

ISO 14001
Environmental management system
 Sistema di gestione ambientale



ISO 9001
Quality management system
 Sistema di gestione della qualità

