

## Talis M52

Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet

Surfaces: **Chrome** Article Number: **14872000**



### Description

#### product features

- ComfortZone 260
- swivel range 150°
- installation in front of the window, can be laid flat, base height 70 mm
- normal spray
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 11 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters


### Technology



### Product image



### Scale drawing




**Talis M52**

**Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet**

Surfaces: **Chrome** Article Number: **14872000**



**Flowchart**



**Talis M52**


**Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet**

Surfaces: **Chrome** Article Number: **14872000**



**Exploded Drawing**

Year of production: >11/09



**Talis M52****Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1jet**Surfaces: **Chrome** Article Number: **14872000****Spare part list**

Year of production: &gt;11/09

Pos.	Description	Article Number	Price	PU
1	handle	95560000	-	1
2	screw cover	96338000	-	1
3	flange	96468000	-	1
4	nut	97209000	-	1
5	O-Ring 32x2	98193000	-	1
6	cartridge, assy	92730000	-	1
7	locking screw for handle	95140000	-	1
8	seal	95008000	-	1
9	spout cpl.	95562000	-	1
10	insert for spout	92161000	-	1
11	nut	92755000	-	1
12	filter	97735000	-	1
13	handspray	96919000	-	1
14	set of non return valves DW 15	94074000	-	1
15	aerator M24x1 (15 l/min)	13913000	-	1
16	set of lever collars	98365000	-	1
17	O-ring 41x2	98212000	-	1
18	support	97523000	-	1
19	fixing set (Ø 34)	95049000	-	1
20	lever collar	97548000	-	1
21	weight	92500000	-	1
22	hose 1,50 m	95507000	-	1
23	connection hose 600 mm M10x1	95561000	-	1
24	O-ring 8x1,75	97827000	-	1
25	connection hose 900 mm M8x0,75 G3/8	96316000	-	1
26	O-ring 7x1,5	98422000	-	1
27	sealing set	95581000	-	1