

## TECHNICAL SHEET

### 1501-23 LARGE

Mounting: Sospensione / Suspension  
 Environment: Indoor - IP20  
 Materials: Cemento - Vetro / Concrete - Glass  
 Voltage: 220-240V 50/60Hz  
 Source: LED 20W - CRI=90  
 Color Temperature: 3000K  
 Lumen: 777 lm  
 Lighting Control: Dimmerabile taglio di fase /  
 Dimmable phase cut

Cable RAL: 7013



### 1501-22 MEDIUM

Mounting: Sospensione / Suspension  
 Environment: Indoor - IP20  
 Materials: Cemento - Vetro / Concrete - Glass  
 Voltage: 220-240V 50/60Hz  
 Source: LED 15W - CRI=90  
 Color Temperature: 3000K  
 Lumen: 570 lm  
 Lighting Control: Dimmerabile taglio di fase /  
 Dimmable phase cut

Cable RAL: 7013



### 1501-20 MINI

Mounting: Sospensione / Suspension  
 Environment: Indoor - IP20  
 Materials: Cemento - Vetro / Concrete - Glass  
 Voltage: 220-240V 50/60Hz  
 Source: LED 8W - CRI=90  
 Color Temperature: 3000K  
 Lumen: 260 lm  
 Lighting Control: Dimmerabile taglio di fase /  
 Dimmable phase cut

Cable RAL: 7013



## Rosoni / Canopies

### 0811-92 CANOPY TYPE A

Mounting: A soffitto / Ceiling  
 Environment: Indoor - IP20  
 Materials: Metallo / Metal  
 Voltage: 220-240V 50/60Hz  
 Lighting Control: On-off / Dimmable DALI




### 0811-93 CANOPY TYPE A RECESSED

Mounting: Incasso / Recessed  
 Environment: Indoor - IP20  
 Materials: Metallo / Metal  
 Voltage: 220-240V 50/60Hz



lampade installabili su piste type A /  
 lamps installable on plates type A



## Finiture / Finishes

---

### Struttura / Structure



Grigio cemento  
Grey concrete

### Vetro / Glass



Vetro trasparente  
Transparent glass

### Rosoni / Canopies



Metallo verniciato opaco bianco  
Matt white varnished metal



Metallo verniciato opaco titanio  
Matt titanium varnished metal



Metallo verniciato opaco nero  
Matt black varnished metal

### NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli o con le piastre multiple.  
Vale altresì il viceversa: rosoni e piastre multiple non possono essere venduti separatamente dai pendenti.  
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone oppure pendente/i + piastra multipla.  
Qualsiasi installazione non autorizzata non viene giudicata conforme.  
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes or with the multiple plates.  
The reverse is also true: rosettes and multiple plates cannot be sold separately from pendants.  
All fixture are tested and guaranteed in their entirety: pendant + rosette or pendant(s) + multiplate.  
Any unauthorized installation will not be deemed compliant.  
Check max H dimension in the illustrative drawing.

## CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1501-23-C601-D4NE	large suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 4
1501-23-C601-D2NE	large suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 2
1501-22-C601-D4NE	medium suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 4
1501-22-C601-D2NE	medium suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 2
1501-20-C601-D4NE	mini suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 4
1501-20-C601-D2NE	mini suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 2
0811-92-1800-NXBE	canopy type A	titanio opaco / matt titanium		on-off
0811-92-0100-NXBE	canopy type A	bianco opaco / matt white		on-off
0811-92-1100-NXBE	canopy type A	nero opaco / matt black		on-off
0811-92-1800-PXBE	canopy type A	titanio opaco / matt titanium		dimmbale DALI
0811-92-0100-PXBE	canopy type A	bianco opaco / matt white		dimmbale DALI
0811-92-1100-PXBE	canopy type A	nero opaco / matt black		dimmbale DALI
0811-93-0100-NXBE	canopy type A recessed	bianco opaco / matt white		

# Canopy Type A (Acorn, Glo, Lit, Mom)

## TECHNICAL SHEET

### 0811-92

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Lighting Control: on-off / dimmable DALI



### 0811-93\*

Mounting: incasso / recessed

Environment: Indoor - IP20

Materials: Metallo / Metal


Voltage: 220-240V 50/60Hz



\*Cartongesso: foro Ø50 mm - spessore 10-15 mm




\*Plasterboard: hole Ø50 mm - thickness 10-15 mm

### 0811-92 CEILING



Ø11,3 x H3,5

### 0811-93 RECESSED



## Finiture / Finishes

---

### Ceiling canopy



Metallo verniciato nero opaco  
Matt black varnished metal



Metallo verniciato opaco titanio  
Matt titanium varnished metal



Metallo verniciato bianco opaco  
Matt white varnished metal

### Recessed canopy



Metallo verniciato bianco opaco  
Matt white varnished metal

## Codici/ Codes

---

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
0811-92-1800-NXBE	canopy type A	titanio opaco / matt titanium		on-off
0811-92-0100-NXBE	canopy type A	bianco opaco / matt white		on-off
0811-92-1100-NXBE	canopy type A	nero opaco / matt black		on-off
0811-92-1800-PXBE	canopy type A	titanio opaco / matt titanium		dimnable DALI
0811-92-0100-PXBE	canopy type A	bianco opaco / matt white		dimnable DALI
0811-92-1100-PXBE	canopy type A	nero opaco / matt black		dimnable DALI
0811-93-0100-NXBE	canopy type A recessed	bianco opaco / matt white		