

AXOR Starck

Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717

Surfaces: **Chrome** Article Number: **10427000**




product features

- 2 functions
- connection type: basic set
- maximum flow rate at 3 bar: 26 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- suitable for continuous flow water heaters
- with integrated safety combination EN 1717

Product image



Scale drawing




AXOR Starck

Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717

Surfaces: **Chrome** Article Number: **10427000**



Flowchart



AXOR Starck


Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717

Surfaces: **Chrome** Article Number: **10427000**



Exploded Drawing

Year of production: >09/16



AXOR Starck

Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717

Surfaces: **Chrome** Article Number: **10427000**



Spare part list

Year of production: >09/16

Pos.		Article Number	Price	PU
1	handle	92931000	-	1
2	screw cover	96338000	-	1
3	diverter knob cpl.	94045000	-	1
4	hollow set screw M4x10	97667000	-	1
5	escutcheon Ø 170 mm	95806000	-	1
6	O-Ring 48x3	95508000	-	1
7	O-ring 29x3	98371000	-	1
8	flange (Rotating Protector)	96395000	-	1
9	sleeve	96448000	-	1
10	sub plate	96447000	-	1
11	set of fixing screws	96454000	-	1
12	nut	96461000	-	1
13	sleeve	95980000	-	1
14	cartridge, assy	92730000	-	1
15	locking screw for handle	95140000	-	1
16	seal	95008000	-	1
17	selector assy	95014000	-	1
18	O-ring 17x2	98199000	-	1
19	O-ring 20x2,5	92602000	-	1
20	O-ring 21x2	98205000	-	1
21	set of screws	96525000	-	1
22	noise reduction	94073000	-	1
23	non return valve	96655000	-	1
24	vacuum breaker	96753000	-	1
25	O-ring 19x2	98426000	-	1
26	O-Ring 22x2	98185000	-	1
27	O-ring 16x2	98133000	-	1
28	extension 25 mm	13595000	-	1
29	set of fixing screws	97747000	-	1
30	extension 22 mm (Ø 170 mm)	13596000	-	1
31	escutcheon height = 33 mm (when wall is not deep enough).	14961000	-	1
a	concealed item	01800180	-	1