

Talis E

Single lever shower mixer for concealed installation

Surfaces: **Chrome** Article Number: **71765000**



Description

product features

- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 29,3 l/min
- ceramic cartridge
- temperature limitation adjustable


Design awards




Product image



Scale drawing



Flowchart




Talis E
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **71765000**



Exploded Drawing

Year of production: >10/19



Talis E
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **71765000**



Spare part list

Year of production: >10/19

| Pos. | Description | Article Number | Price | PU |
|------|--------------------------|----------------|-------|----|
| 1 | handle | 92666000 | - | 1 |
| 2 | screw cover | 96338000 | - | 1 |
| 3 | escutcheon 155 / 155 mm | 95276000 | - | 1 |
| 4 | O-ring 43x3 | 98418000 | - | 1 |
| 5 | sleeve | 98790000 | - | 1 |
| 6 | holder for escutcheon | 98793000 | - | 1 |
| 7 | set of fixing screws | 96454000 | - | 1 |
| 8 | nut | 98796000 | - | 1 |
| 9 | O-ring 30x1,5 | 98433000 | - | 1 |
| 10 | O-ring 39x1,5 | 98400000 | - | 1 |
| 11 | cartridge, assy | 92730000 | - | 1 |
| 12 | locking screw for handle | 95140000 | - | 1 |
| 13 | seal | 95008000 | - | 1 |
| 14 | set of screws | 96525000 | - | 1 |
| 15 | O-ring 16x2 | 98133000 | - | 1 |
| 16 | O-Ring 22x2 | 98185000 | - | 1 |
| 17 | flow limiter (22 l/min) | 95884000 | - | 1 |
| 18 | noise reduction | 96429000 | - | 1 |
| 19 | extension 25 mm | 13595000 | - | 1 |
| 20 | set of fixing screws | 97747000 | - | 1 |
| 21 | extension 22 mm | 15597000 | - | 1 |
| a | concealed item | 01800180 | - | 1 |