

AXOR Starck

Single lever bath mixer for exposed installation with pin handle

Surfaces: **Chrome** Article Number: **10411000**



product features

- 2 functions
- projection 200 mm
- connection type: s-shaped connections
- centre distance: 150 ± 16 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 18 l/min
- flow rate for bath spout at 3 bar: 18 l/min
- flow rate of hand shower at 3 bar: 16 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15


Technology



Product image




Scale drawing



AXOR Starck
Single lever bath mixer for exposed installation with pin handle
 Surfaces: **Chrome** Article Number: **10411000**



Flowchart




AXOR Starck
Single lever bath mixer for exposed installation with pin handle
 Surfaces: **Chrome** Article Number: **10411000**



Exploded Drawing

Year of production: >04/04



AXOR Starck
Single lever bath mixer for exposed installation with pin handle
 Surfaces: **Chrome** Article Number: **10411000**



Spare part list

Year of production: >04/04

Pos.		Article Number	Price	PU
1	handle	10093000	-	1
2	screw cover	96762000	-	1
3	hollow set screw M6x10 DIN 916	96029000	-	1
4	flange	96763000	-	1
5	nut	97209000	-	1
6	O-ring 33x2	98154000	-	1
7	cartridge, assy	92730000	-	1
8	O-ring 29x2	98391000	-	1
9	O-ring 11x2	98127000	-	1
10	O-ring 12x2	98214000	-	1
11	selector assy	96294000	-	1
12	hollow set screw M5x6	98482000	-	1
13	selector	96297000	-	1
14	O-ring 16x2	98133000	-	1
15	O-ring 24x2	98388000	-	1
16	aerator M30x1 (25 l/min)	96296000	-	1
17	special tool set	58085000	-	1
18	O-ring 13x2	98128000	-	1
19	connecting thread	97527000	-	1
20	set of non return valves DW 15	94074000	-	1
21	escutcheon Ø 59 mm	97507000	-	1
22	noise reduction	96429000	-	1
23	set of S-unions with nuts	96742000	-	1
24	O-ring 18x2,5	98139000	-	1
a	extension for diverter 60 mm	10981000	-	1
b	extension for diverter 20 mm	10983000	-	1