

# LASVIT Technical Sheet

## LUDWIG COLLECTION

**DESIGNER:** Maurizio Galante

**YEAR OF DESIGN:** 2016

**MATERIAL:** Bended clear Glass Tubes

Design of Ludwig collection strives to establish balance between past and future. The bygone romantic era with its neoclassical proportions is reinterpreted with essentially slick, streamlined forms. While the contours remain loyal to their neoclassical style chandelier references, the use of industrial glass tubes imbues this family of spectacular lights with an airy and strikingly modern elegance.



---

### PACKAGING

#### **Ludwig S**

Frame: 120 × 80 × 80/50 kg

Glass: 120 × 80 × 75/71 kg

#### **Ludwig L**

Pallette: 130 × 130 × 130/220 kg

Pallette: 130 × 125 × 140/170 kg

Pallette: 120 × 80 × 140/100 kg

---

# LASVIT Technical Sheet

## LUDWIG COLLECTION

### TECHNICAL DETAILS LUDWIG S

Type	CE	UL
Light source	51 × G9 LED, 3W, 2800K	51 × G9 LED, 3W, 2800K
Input voltage	230AC/50Hz	120AC/60Hz
Rated power	153W	153W
Dimming	Non-Dimmable	
Surface finish	polished stainless steel	
Chain	800 mm/31½", longer chain is available contact your sales person, 800 mm /31½" transparent cable 800mm/31½" tube, longer tube is available, contact your sales person	
Prot. rating	IP 20	
Safety class	CLASS I	

# LASVIT Technical Sheet

## LUDWIG COLLECTION

### TECHNICAL DETAILS LUDWIG L

Type	CE	UL
Light source	161 × LED G9, 3W, 2800K dimmable	161 × LED G9, 2,5W, 2700K dimmable
Input voltage	230VAC/50Hz	100 – 130VAC/60Hz
Rated power	483W	402W
Dimming	Non-Dimmable	
Surface finish	polished stainless steel	
Chain	1140 mm/44 7/8", longer chain is available contact your sales person	
Prot. rating	IP 20	
Safety class	CLASS I	



# LASVIT Technical Sheet

## LUDWIG COLLECTION

### TECHNICAL DRAWING

**Ludwig S**

**Ludwig L**



Name	Dia (mm/inch)	H/OH (mm/inch)	Z (mm/inch)	V (mm/inch)
<b>Ludwig S</b>	880/34 <sup>5</sup> / <sub>8</sub> "	H 800/31 <sup>1</sup> / <sub>2</sub> " OH 1600/63"	190/7 <sup>1</sup> / <sub>2</sub> "	34/1 <sup>5</sup> / <sub>16</sub> "
<b>Ludwig L</b>	1360/53 <sup>9</sup> / <sub>16</sub> "	H 1242/48 <sup>7</sup> / <sub>8</sub> " OH 2420/95 <sup>1</sup> / <sub>4</sub> "	220/8 <sup>1</sup> / <sub>16</sub> "	42/1 <sup>5</sup> / <sub>8</sub> "

# LASVIT Technical Sheet

<b>Name</b>	<b>Glass</b>	<b>Item ID – CE</b>	<b>Item ID – UL</b>	<b>Weight (approx.)</b>
<b>Ludwig S (with chain)</b>	bended clear glass tubes	CLo3oSA- 1CEoo-01o1S1	CLo3oSA- 1ULoo-01o1S1	100kg/220lb
<b>Ludwig S (with tube)</b>	bended clear glass tubes	CLo3oSC- 1CEoo-01o1S1	CLo3oSC- 1ULoo-01o1S1	100kg/220lb
<b>Ludwig L</b>	bended clear glass tubes	CLo3oSB-1CEoo- o1o1S1	CLo3oSB-1ULoo- o1o1S1	230kg/506lb

**EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED.  
TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE  
OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE**